



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 31/00		A2	(11) International Publication Number: WO 99/52518
			(43) International Publication Date: 21 October 1999 (21.10.99)
(21) International Application Number: PCT/US99/04288		(74) Agent: WOOTTON, Thomas, A.; Pharmacia & Upjohn Company, Intellectual Property Legal Services, 301 Henrietta Street, Kalamazoo, MI 49001 (US).	
(22) International Filing Date: 2 April 1999 (02.04.99)			
(30) Priority Data: 60/081,632 13 April 1998 (13.04.98) US M198A000870 23 April 1998 (23.04.98) IT 60/085,033 11 May 1998 (11.05.98) US		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(71) Applicants (for all designated States except US): PHARMACIA & UPJOHN S.P.A. [IT/IT]; Via Robert Koch, 1.2, I-20152 Milano (IT). PHARMACIA & UPJOHN COMPANY [US/US]; 301 Henrietta Street, Kalamazoo, MI 49001 (US).			
(72) Inventors; and (75) Inventors/Applicants (for US only): DUBINI, Adriana [IT/IT]; Via San Giacomo Moro, 16, I-20100 Milano (IT). McCALL, John, Michael [US/US]; 1128 North Eagle Lake Drive, Kalamazoo, MI 49009 (US). TAYLOR, Duncan, Paul [US/US]; 8722 West F Avenue, Kalamazoo, MI 49009 (US). VON VOIGTLANDER, Philip, F. [US/US]; 1 South Lake Doster, Plainwell, MI 49080 (US). WONG, Erik, Ho, Fong [US/US]; 7352 Hampstead Lane, Portage, MI 49024 (US).		Published <i>Without international search report and to be republished upon receipt of that report.</i>	
(54) Title: NEW TREATMENTS FOR NERVOUS DISORDERS			
(57) Abstract <p>This patent application describes the treatment of Obsessive Compulsive Disorders (OCD), and Panic Disorder (PD), comprising administering a therapeutically effective, nontoxic dose of reboxetine and derivatives and/or pharmaceutically acceptable salts thereof to a patient.</p>			
BEST AVAILABLE COPY			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CJ	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

NEW TREATMENTS FOR NERVOUS DISORDERS

Field of the Invention

5 This invention describes new treatments for several nervous system disorders, including: Obsessive Compulsive Disorders, and Panic Disorder. The treatment involves the administration of the drug reboxetine.

Background

10 The introduction of tricyclic antidepressants in the early 1960s has provided a major advance in the treatment of neuropsychiatric disorders. Reactive and endogenous depressions, diagnoses formerly carrying grave prognostic implications, have become, with the introduction of the tricyclics, manageable disorders with a much smaller toll on the patient and the society as a whole.

15 The early tricyclic compounds were reuptake inhibitors of all the catecholamines released in the synaptic cleft, thus resulting in prolongation and enhancement of the dopamine (DA), noradrenaline (NA) and serotonin (5-hydroxytryptamine = 5-HT) action. Lack of selectivity also causes undesired side effects particularly on the acetylcholine (especially the muscarinic component), and histamine mediated neurotransmission.

20 Because of these unwanted pharmacodynamic activities, cognitive impairment, sedation, urinary and gastrointestinal tract disturbances, increased intraocular pressure were limiting factors in the clinical use of these compounds and often required discontinuation of treatment. Of utmost concern were also the cardiac toxic effects and the proconvulsant activity of this group of drugs.

25 More recently, selective reuptake inhibitors for serotonin (SSRI) have been introduced with definite advantages in regard to fewer side effects without loss of efficacy.

30 Here we present the surprising finding that one particular drug from a new category of antidepressants, a so called noradrenaline (NA) reuptake inhibitor can be used to manage or treat a few special diseases, diseases having symptoms outside of what are usually considered depression symptoms.

Summary of the Invention

 This patent application describes the treatment of Obsessive Compulsive Disorders (OCD), and Panic Disorder (PD), comprising administering a therapeutically effective,

nontoxic dose of reboxetine and derivatives and or pharmaceutically acceptable salts thereof to a patient.

Reboxetine is the generic name of the pharmaceutical substance with the chemical name of 2-(1-((2-ethoxyphenoxy)benzyl)-morpholine, and its pharmaceutically acceptable salts. Reboxetine can be a free base, or it can include reboxetine methanesulfonate (also
5 called reboxetine mesylate) or any other pharmaceutically acceptable salt that does not significantly affect the pharmaceutical activity of the substance.

A preferred dose range is 4 to 10 mg per patient per day and the most preferred dose is 6 to 8 mg or 8 to 10 mg per patient daily, depending upon the patient, delivered
10 twice a day (b.i.d.).

Additional Description of the Invention and Description of the Preferred Embodiment(s)

Reboxetine is the generic name of the pharmaceutical substance with the chemical name of 2-(1-((2-ethoxyphenoxy)benzyl)-morpholine, and its pharmaceutically acceptable
15 salts. Reboxetine can be a free base, or it can include reboxetine methanesulfonate (also called reboxetine mesylate) or any other pharmaceutically acceptable salt that does not significantly affect the pharmaceutical activity of the substance. Reboxetine and a method of synthesis are described in U.S. 4,229,449, issued 21 Oct. 1980, Melloni *et. al.*, incorporated by reference, methods of preparation are described in US 5,068,433, issued
20 26 Nov. 1991, Melloni *et. al.* and in US 5,391,735, issued 21 Feb. 1995, both incorporated by reference. Reboxetine may also be known under the trade name of EDRONAX™.

The pharmaceutical compositions and methods of administration described in US 4,229,449 at col. 18, lines 33-66 are specifically incorporated by reference. Twice a day
25 dosing is preferred with current formulations.

Reboxetine acts as an antidepressant. Antidepressants are frequently grouped into categories or "generations." The first generation of antidepressants were usually tricyclic antidepressants such as maprotiline that affected various neurotransmitter systems and are associated with many undesirable side effects. The second generation of antidepressants,
30 such as mianserine, mirtazapine and trazodone are largely devoid of anticholinergic action and their adrenergic and antihistaminic effects are weaker. These are contrasted with the third generation of antidepressants (e.g. SSRI, ipsapirone, viloxazine, reboxetine, bupropione) that mediate only one of the three main neurotransmitter system for

depression (5-HT, noradrenaline, dopamine) and they do not affect muscarine, histamine and adrenergic cerebral systems. Svestka, J. "Antidepressives of the 3rd, 4th and 5th generation," *Cesk-Psychiatr.* 1994 Feb; 90(1):3-19. (Czech).

Reboxetine, however, does not act like most antidepressants. Unlike tricyclic antidepressants and even selective serotonin reuptake inhibitors (SSRIs), reboxetine is ineffective in the 8-OH-DPAT hypothermia test, indicating that reboxetine is not a selective serotonin reuptake inhibitor, instead it is selective for the noradrenergic system. Thus, reboxetine is not an SSRI, rather it is considered a novel, selective, noradrenaline-reuptake inhibitor (NARI). Leonard-BE, "Noradrenaline in basic models of depression." *European-Neuropsychopharmacol.* 1997 Apr; 7 Suppl 1: S11-6; discussion S71-3. Unlike most drugs, reboxetine is a highly selective norepinephrine uptake inhibitor, with only marginal serotonin and no dopamine uptake inhibitory activity. The compound displays only weak or no anti-cholinergic activity in different animal models and is devoid of monoamine oxidase (MAO) inhibitory activity.

Reboxetine is highly potent and fast acting. Our investigations indicate reboxetine has potent antireserpine activity and combines the inhibitory properties of classical tricyclic antidepressants on the reuptake of noradrenaline with an ability to desensitize δ -adrenergic receptor function without showing any appreciable interaction with muscarinic-cholinergic and I-adrenergic receptors. Moreover, reboxetine shows less vagolytic activity than other tricyclic antidepressants.

The inventors have discovered that, in addition to its unique properties, mentioned above, reboxetine has been found particularly useful for treating or enhancing the treatment of a few psychiatric symptoms or disorders, with greater efficacy and with fewer side effects, than with treatment by known drugs. Furthermore, the inventors here have discovered that reboxetine can also be used to treat, or to enhance the treatment, of a few other specific psychiatric symptoms or disorders. The new symptoms or disorders amenable to treatment with reboxetine are provided below.

The dosage used to treat all of the disorders described here is as follows. Reboxetine is well tolerated and has a wide safety range, it can be administered in a dose range of active ingredient from about 1 to over 20 mg/kg. It is more commonly provided in dosages of from 1 to 20 mg per patient per day. The compound may be administered by any suitable method including a convenient oral dosage form. A preferred method is oral dosing twice a day. The preferred dose range is 4 to 10 mg per patient per day and

the most preferred dose is 6 to 8 mg or 8 to 10 mg per patient daily, depending upon the patient, delivered twice a day (b.i.d.). It can also be given at dosages of 2, 4, 6, 8, 10 or 12 mg/patient per day or fractions thereof. For example, suitable administrations could be 4 mg in the morning and 2 or 4 mg in the evening. In some patients the ideal dosing would be 3-5 mg in the morning and 3-5 mg in the evening. A skilled practitioner would be expected to determine the precise level of dosing. The idea dosing would be routinely determined by an evaluation of clinical trials and the needs of the patient.

The diseases described for treatment here are:

I. Obsessive Compulsive Disorders (OCD)

Obsessive Compulsive Disorder is a condition or state of anxiety that may be treated with reboxetine. General descriptions of OCD, may be found in many standard sources, such as, The American Psychiatric Press Textbook of Psychiatry, Second Edition, Edited by Robert E. Hales, Stuart C. Yudofsky, and John A. Talbott, copyright 1994, incorporated by reference, especially the chapter on "Anxiety Disorders," incorporated by reference. Another of many texts is the Manual of Psychiatric Therapeutics, Second Edition, edited by Richard I. Shader, incorporated by reference, especially Chapter 5, Obsessions and Compulsions, more particularly, Section III of that chapter, "OCD" pp. 36 *et. seq.*, incorporated by reference.

The treatment of Obsessive Compulsive Disorders (OCD) involves the administration of reboxetine in a manner and form that provide a reduction in the symptoms of the disease. See general description above for administration of reboxetine.

The following study shows the therapeutic effectiveness of using reboxetine in doses varying from 6 to 8 mg to treat OCD. This study is provided to illustrate the usefulness of using reboxetine as a treatment for OCD and the invention described herein should not be considered limited by this example.

In a trial involving 10 patients with a DSM-III-R diagnosis of Obsessive Compulsive Disorder who were all treated with reboxetine for a period of 3 to 4 weeks with the dose for the first week at 6 mg (4 mg in a.m. and 2 mg in p.m.) with the dose increasing in the second week to 8 mg (4 mg b.i.d.). At CGI last assessment, one patient was judged very much improved, 4 were judged much improved, 2 minimally improved, while 3 were unchanged. Of the patients who did respond they had a decrease of the obsessive-compulsive symptomatology, as measured by the CPRS-OC rating scale, of more than 30 and as much as 73%.

II. Panic Disorder (PD).

Panic Disorder is a condition or state of anxiety that may be treated with reboxetine. General descriptions of PD, may be found in many standard sources, such as, 5 The American Psychiatric Press Textbook of Psychiatry, Second Edition, Edited by Robert E. Hales, Stuart C. Yudofsky, and John A. Talbott, copyright 1994, incorporated by reference, especially the chapter on "Anxiety Disorders," incorporated by reference, another of many texts is the Manual of Psychiatric Therapeutics, Second Edition, edited by Richard I. Shader, incorporated by reference, especially Chapter 25, "Approaches to 10 the Treatment of Anxiety States," incorporated by reference.

The treatment of Panic Disorder involves the administration of reboxetine in a manner and form that provide a reduction in the symptoms of the disease. See general description above for administration of reboxetine.

The following study shows the therapeutic effectiveness of using reboxetine in 15 doses varying from 6 to 8 mg to treat Panic Disorder. This study is provided to illustrate the usefulness of using reboxetine as a treatment for PD and the invention described herein should not be considered limited by this example.

In a trial involving 75 patients that satisfied the DSM-III criteria for the diagnosis of Panic Disorder with or without Agoraphobia (300.01, 300.21) and had at least 4 panic 20 attacks in the month preceding their admission, in a randomized, placebo controlled parallel group, double blind design, 37 on reboxetine and 38 on placebo, the mean number of major panic attacks for patients treated with reboxetine was significantly lower than for those on placebo. Phobic symptoms, anticipatory anxiety, occupational functioning, social and family adjustment were all better at some point in time for those treated with 25 reboxetine than for patients on placebo.

Claims

1. A method of treating or enhancing the treatment of a disorder selected from:
 - a) Obsessive Compulsive Disorders (OCD); and/or
 - 5 b) Panic Disorder (PD);comprising administering a therapeutically effective, nontoxic dose of reboxetine and derivatives and or pharmaceutically acceptable salts thereof to a patient experiencing the symptoms of those disorders.
- 10 2. The method of claim 1 where reboxetine is used to treat or enhance the treatment of Obsessive Compulsive Disorders (OCD).
3. The method of claim 1 where reboxetine is used to treat or enhance the treatment of Panic Disorder (PD).
- 15 4. The preparation of a medicament to treat OCD or PD from a composition comprising reboxetine.
5. The use of reboxetine or its pharmaceutically acceptable salts in the manufacture
20 of a medicament to treat Obsessive Compulsive Disorders (OCD); and/or Panic Disorder (PD);
and/or for the treatment of any of the symptoms of either of those diseases.
6. The method or use in claims 1-5 where the reboxetine dose range is 4 to 10 mg.
25 per patient per day.
7. The method or use in claims 1-5 where the reboxetine dose range is 6 to 8 mg. per patient per day.



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 31/35		A3	(11) International Publication Number: WO 99/52518
			(43) International Publication Date: 21 October 1999 (21.10.99)
(21) International Application Number: PCT/US99/04288		(74) Agent: WOOTTON, Thomas, A.; Pharmacia & Upjohn Company, Intellectual Property Legal Services, 301 Henrietta Street, Kalamazoo, MI 49001 (US).	
(22) International Filing Date: 2 April 1999 (02.04.99)			
(30) Priority Data:		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
60/081,632 13 April 1998 (13.04.98) US			
MI98A000870 23 April 1998 (23.04.98) IT			
60/085,033 11 May 1998 (11.05.98) US			
(71) Applicants (for all designated States except US): PHARMACIA & UPJOHN S.P.A. [IT/IT]; Via Robert Koch, 1.2, I-20152 Milano (IT). PHARMACIA & UPJOHN COMPANY [US/US]; 301 Henrietta Street, Kalamazoo, MI 49001 (US).			
(72) Inventors; and		Published	
(75) Inventors/Applicants (for US only): DUBINI, Adriana [IT/IT]; Via San Giacomo Moro, 16, I-20100 Milano (IT). McCALL, John, Michael [US/US]; 1128 North Eagle Lake Drive, Kalamazoo, MI 49009 (US). TAYLOR, Duncan, Paul [US/US]; 8722 West F Avenue, Kalamazoo, MI 49009 (US). VON VOIGTLANDER, Philip, F. [US/US]; 1 South Lake Doster, Plainwell, MI 49080 (US). WONG, Erik, Ho, Fong [US/US]; 7352 Hampstead Lane, Portage, MI 49024 (US).		With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
		(88) Date of publication of the international search report: 2 December 1999 (02.12.99)	
(54) Title: NEW TREATMENTS FOR NERVOUS DISORDERS			
(57) Abstract			
This patent application describes the treatment of Obsessive Compulsive Disorders (OCD), and Panic Disorder (PD), comprising administering a therapeutically effective, nontoxic dose of reboxetine and derivatives and/or pharmaceutically acceptable salts thereof to a patient.			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A61K31/35

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	B.E.LEONARD: "Noradrenaline in basic models of depression" EUR.NEUROPSYCHOPHARMACOL., vol. 7, no. suppl. 1, 1997, pages S11-S16, XP002113301 the whole document page S11, right-hand column ---	1-7
E	WO 99 20279 A (ELI LILLY AND COMPANY) 29 April 1999 (1999-04-29) page 3, line 26 page 5, line 21 - page 6, line 13 page 9, line 27 claim 5 --- -/--	1-7

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"Δ" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

25 August 1999

13/10/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 spo nl,
Fax: (+31-70) 340-3018

Authorized officer

Theuns, H

INTERNATIONAL SEARCH REPORT

Inte: International Application No

PCT/US 99/04288

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	W.J.KATON: "Depression and Anxiety: New Tools for Diagnosis and Treatment" J. CLIN.PSYCHIATRY, vol. 59, no. Suppl. 20, 1998, pages 3-4, XP002113302 See footnote on page 3 the whole document ---	1-7
X	A.F.SCHATZBERG: "Noradrenergic Versus Serotonergic Antidepressants: Predictors of Treatment Response" J.CLIN.PSYCHIATRY, vol. 59, no. Suppl. 14, 1998, pages 15-18, XP002113303 See footnote on page 15 the whole document ---	1-7
X	S.A.MONTGOMERY: "The Place of Reboxetine in Antidepressant Therapy" J.CLIN.PSYCHIATRY, vol. 59, no. Suppl. 14, 1998, pages 26-29, XP002113304 See footnote on page 26 the whole document ---	1-7
X	A.DUBINI ET AL.: "Noradrenaline-selective versus serotonin-selective antidepressant therapy: differential effects on social functioning" J.PSYCHOPHARMACOL., vol. 11, no. 4 Suppl., 1997, pages S17-S23, XP002113305 the whole document ---	1-7
X	M. MUCCI: "Reboxetine: a review of antidepressant tolerability" J.PSYCHOPHARMACOL., vol. 11, no. 4 Suppl., 1997, pages S33-S37, XP002113306 the whole document ---	1-7
X	H.BERZEWSKI ET AL.: "Efficacy and tolerability of reboxetine compared with imipramine in a double-blind study in patients suffering from major depressive episodes" EUR.NEUROPSYCHOPHARMACOL., vol. 7, no. Suppl. 1, 1997, pages S37-S47, XP002113307 the whole document ---	1-7
	--- -/--	

PC1/US 99/04288

Form PCT/ISA/210 (continuation of second sheet) (July 1982)

INTERNATIONAL SEARCH REPORT

national application No.

PCT/US 99/ 04288

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 1-3 and 6-7
because they relate to subject matter not required to be searched by this Authority, namely:
Remark: Although claims 1-3 and 6-7 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/04288

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9920279 A	29-04-1999	AU 9692898 A EP 0919234 A	10-05-1999 02-06-1999
DE 3540093 A	28-05-1986	GB 2167407 A FR 2573425 A IT 1190420 B JP 6067916 B JP 61129174 A	29-05-1986 23-05-1986 16-02-1988 31-08-1994 17-06-1986
DE 2901032 A	02-08-1979	IT 1111676 B IT 1160301 B IT 1160302 B IT 1101724 B AT 371813 B AT 40679 A AU 525954 B AU 4332779 A BE 873596 A BG 61056 B CA 1128942 A CH 650245 A CS 207696 B CS 9104133 A CY 1172 A DK 22679 A, B, FI 790177 A, B, FR 2442839 A FR 2430412 A GB 2014981 A, B HK 5783 A IE 47727 B JP 1504458 C JP 54148739 A JP 63031455 B KE 3243 A NL 7900412 A, B, NZ 189418 A SE 446727 B SE 7900498 A SI 7910096 A US 4229449 A US 4271160 A YU 9679 A ZA 7900215 A AT 376964 B AT 419781 A CS 207697 B MX 9203112 A SU 980617 A SU 944500 A	13-01-1986 11-03-1987 11-03-1987 07-10-1985 10-08-1983 15-12-1982 09-12-1982 26-07-1979 19-07-1979 30-09-1996 03-08-1982 15-07-1985 31-08-1981 13-05-1992 10-06-1983 21-07-1979 21-07-1979 27-06-1980 01-02-1980 05-09-1979 08-02-1983 30-05-1984 28-06-1989 21-11-1979 23-06-1988 03-12-1982 24-07-1979 16-03-1981 06-10-1986 21-07-1979 31-10-1996 21-10-1980 02-06-1981 31-12-1983 26-03-1980 25-01-1985 15-06-1984 31-08-1981 01-07-1992 07-12-1982 15-07-1982

THIS PAGE BLANK (USPTO)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)